
Use of "New Generation" Distiller's Dried Grains with Solubles in Livestock and Poultry Production Systems

> Dr. Jerry Shurson Professor Department of Animal Science University of Minnesota

# What is DDGS?

- Co-product of the dry-milling ethanol industry
  - Corn DDGS Midwestern US
  - Wheat DDGS Canada
  - Sorghum (milo) DDGS Great Plains US
  - Barley DDGS
  - Rye DDGS

#### Map of U.S. Ethanol Plants



#### **DDGS Quality is Variable**

- Color ranges from very light to very dark
- Odor ranges from sweet to smoky or burnt
- Range in concentration in selected nutrients:
  - Dry matter 87 to 93%
  - Crude protein 23 to 29%
  - Crude fat 3 to 12%
  - Ash 3 to 6%
  - Lysine 0.59 to 0.89%

Source: Cromwell et al. (1993)

#### **"New Generation" vs. "Old Generation" DDGS**

Lower Quality, Less Digestible DDGS High Quality, Highly Digestible DDGS

#### **Considerations for Selecting DDGS Sources for Swine and Poultry**

- Must be golden color
  - "New Generation" DDGS has higher amino acid digestibility compared to "old generation" DDGS
- Produced by new Midwestern plants
  - Higher nutrient content and digestibility than DDGS from "old generation" plants

# The Use of DDGS in Svine in the second of th

# Nutritional Value of "New Generation" DDGS for Swine

- "New Generation" DDGS is higher in digestible nutrients compared to "Old Generation" DDGS
- Economical partial replacement for:
  - corn
  - soybean meal
  - dicalcium phosphate
- Value added properties
  - reduce P excretion in manure
  - increase litter size weaned/sow
  - gut health benefits?

#### Maximum Inclusion Rates of "New Generation" DDGS in Swine Diets

(Based Upon University of Minnesota Performance Trials)

- Nursery pigs (> 7 kg)
  - Up to 25 %
- Grow-finish pigs
  - Up to 20% (higher levels may reduce pork fat quality)
- Gestating sows
  - Up to 50%
- Lactating sows
  - Up to 20%

Assumptions: no mycotoxins

formulate on a digestible amino acid and available phosphorus basis

# The Use of DDGS in Poultry Diets

## Nutritional Value of DDGS for Poultry

- Must use "new generation" DDGS
  - Light color = high amino acid digestibility
- Excellent energy and available phosphorus source
- Nutritional value higher than previously thought
- Unidentified growth factors?
  - 5% DDGS resulted in 17-32% improvement in gain
  - 3% DDGS in turkey breeder hen diets increased egg numbers and hatch
- Effective partial replacement for corn and soybean meal

# **Recommended Inclusion Rates of DDGS for Poultry**

- Broilers and Turkeys
  - 5-10% inclusion rates (Starter/Finisher)
    - Without energy adjustments
  - > 10%

- With adjustments for lys, met, thr, trp, and energy
- Chicken Egg Layers
  - 10% inclusion rate


# The Use of DDGS in Dairy Rations

### Nutritional Value of DDGS for Dairy Cows

- Excellent protein source (28% crude protein)
- High in by-pass protein
- High in NDF (44%)
- Very palatable increases dry matter intake
- Effective partial replacement for corn and soybean meal

#### **Recommended Feeding Levels of DDGS** for Dairy Cows and Replacements

- Lactating dairy cows
  - Up to 30% DMI under normal feeding conditions
  - > 30% DMI if BST is used
- Calves
  - Up to 20 % DMI
- Replacement heifers
  - Up to 25% DMI



#### Nutritional Value of DDGS for Beef Cattle

- Excellent protein source (28% crude protein)
- High by-pass protein
- Excellent source of essential minerals (P and K)
- Improves rumen health
- Very palatable
- 1.8 times more value compared to soybean meal

#### **Recommended Feeding Levels of DDGS for Beef Cattle**

- Creep feeding
  - Up to 20%
- Feedlot cattle
  - Up to 40 % DMI
- Receiving/starting cattle
  - Up to 20%
- Brood cows
  - Up to 35% of supplement

### U of M DDGS Web Site www.ddgs.umn.edu

We have developed a DDGS web site featuring:

- \* research summaries
  - swine, poultry, dairy, & beef
  - DDGS quality
- \* presentations given
- \* links to other DDGS related web sites
- \* international audiences